


The ADVOCATE Clinical Trial

demonstrated that the CeraPlus skin barrier with Remois technology* had a positive impact on stoma-related cost of care and peristomal skin health†


Background

Peristomal skin complications (PSCs) lower health-related quality of life and raise the costs of care.¹⁻³ Yet, **<1 in 5** patients seek treatment.⁴ PSCs shouldn't be considered normal, because ostomy patients deserve better.




Results

Lower cost of care for CeraPlus skin barrier users per user over a 12-week period (14% relative reduction)⁵



More CeraPlus Skin Barrier Users Resolved Skin Complications


within a four-week period⁵



More than **25%[‡]**

relative reduction in the number of PSCs in the CeraPlus skin barrier group.⁵

More CeraPlus Skin Barrier Users "Very Satisfied" With



Overall Performance⁵

Study design

- 153 participants
- Double-blinded study
- 25 sites in a multicenter, multinational trial
- Adaptive design planned for two interim analyses

*Remois is a technology of Alcare Co., Ltd.

†As compared to Hollister Ostomy Care non-ceramide skin barriers.

‡40.5% had PSCs in treatment group vs 55.4% in control, p=0.069. (Not statistically significant)⁵

References:

1. Persson E, Gustavsson B, Hellstro A, Lappas G, Hulten L. Ostomy patients' perceptions of quality of care. *J Adv Nurs*. 2005;49(1):51-58.
2. Gray M, Colwell JC, Doughty D, et al. Peristomal moisture associated skin damage in adults with fecal ostomies: a comprehensive review and consensus. *J Wound Ostomy Continence Nurs*. 2013;40(4):389-399.
3. Coons SJ, Chongpison Y, Wendel CS, Grant M, Krouse RS. Overall quality of life and difficulty paying for ostomy supplies in the Veterans Affairs ostomy-related quality of life study. *Med Care*. 2007;45(9):891-895.
4. Nybaek H, Bang KD, Norgaard LT, Karlsmark T, Jemec GB. Skin problems in ostomy patients: a case control study of risk factors. *Acta Derm Venereol*. 2009;89(1):64-67.
5. Colwell J, Pittman J, Raizman R, Salvadalea G. A Randomized Controlled Trial Determining Variances in Ostomy Skin Conditions (ADVOCATE). *J Wound Ostomy Continence Nurs*. 2018;45(1):37-42.

The Hollister logo, CeraPlus, and "Healthy skin. Positive outcomes." are trademarks of Hollister Incorporated.

©2018 Hollister Incorporated. XXXXX-MMY